Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8	(US-20020113569-$ or US-20040051495-$ or US-20040100222-$).did. or (US-5959430-$ or US-6552509-$ or US-6583593-$ or US-6762581-$ or US-6788024-$).did.	US-PGPUB; USPAT	OR	OFF	2004/12/27 05:01
L2	6276	axis with locus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 05:03
L3	29936	"363"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 05:04
L4	102415	"318"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 05:07
L5	3255	363/34,37,21.1,21.18,39,40,41,74. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 05:08
L6	135	2 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 05:08
L7	3	("4019116" | "4628475" | "5166593").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/27 05:11
L8	7	("5959430").URPN.	USPAT	OR	OFF	2004/12/27 05:11
L9	7	("5959430").URPN.	USPAT	OR	OFF	2004/12/27 05:20
L10	5442	(phase adj angle) near2 (detection or detector or measure or measurement or measured or measuring or detecting or detected or determine or determined or determing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 05:21
L11	1728	10 and axis	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 05:21

L12	129	11 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 05:21
L13	56	12 and vector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 05:31
L14	1	"629896".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 05:34
L15	2674	inductance with axis	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 05:34
L16	346	15 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 05:36
L17	18	16 and locus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 05:34
L18	7	16 and 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 05:36
S1	2	("6762581").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 02:54
S2	4695	318/800,801,807,809,812,811,806. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 02:54
S3	251692	superimposed or superimposing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 03:21

S4	178	S2 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 02:55
S5	67949	("d" or long) near2 axis	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 02:55
S6	17502	("q" or short) near2 axis	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 02:55
S7	7081	S5 same S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 02:55
S8	22	S7 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 02:56
S9	0	("2004/0100222").URPN.	USPAT	OR	OFF	2004/12/27 03:03
S10	8203	S3 near3 current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 03:03
S11	24	S7 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 03:03
S12	15	S11 and "318"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 03:20
S13	91541	locus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 03:16
S14	20	S5 same S6 same S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 03:16

S15	2	S14 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 03:16
S16	303	S10 and "318"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 03:20
S17	6	S16 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 03:21
S18	261439	superimposed or superimposing or superimpose	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 03:21
S19	29936	"363"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 03:34
S20	248	(rotating near2 (voltage or current)) near3 frequency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 03:35
S21	67	S20 and ("318"/$.ccls. or S19)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 03:35
S22	66	S21 and motor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 03:38
S23	103	(separating or separates or separated) near3 (drive adj current)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 03:40
S24	5	S23 and "318"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 03:40

S25	140	(separating or separates or separated) near5 (drive adj current)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 03:40
S26	7	S25 and "318"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 03:43
S27	3630	cross adj product	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 03:44
S28	136	S27 near4 (axis or axes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 03:43
S29	3	S28 and ("318"/$.ccls. or S19)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 03:44
S30	1337	product near4 locus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 03:44
S31	2	S30 and ("318"/$.ccls. or S19)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 03:47
S32	265	ratio near3 locus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 03:47
S33	9	S32 and ("318"/$.ccls. or S19)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/27 03:47